



Dansac EasiSpray Adhesive Remover

Safety Data Sheet



Issue date: 10 January 2023 Revision date: 27 June 2025 Supersedes: 10 January 2023 Version: 2.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	: Substance
Trade name	: Dansac EasiSpray Adhesive Remover
EC-No.	: 203-492-7
CAS-No.	: 107-46-0
Product code	: 083-01
Vaporizer	: Aerosol
Formula	: C6H18OSi2
Synonyms	: Disiloxane, hexamethyl- / Oxybis(trimethylsilane) / Silane, oxybis(trimethyl- / Disiloxane, 1,1,1,3,3,3-hexamethyl- / HEXAMETHYLDISILOXANE / Bis(trimethylsilyl) oxide / HMDS / DISILOXANE
Other means of identification	: Hexamethyldisiloxane

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture	: Medical Adhesive Remover
------------------------------	----------------------------

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Supplier	Manufacturer
Hollister Limited	Dansac A/S
Rectory Court	Lille Kongevej 304
42 Broad Street	Fredensborg 3480 Denmark
Wokingham, Berkshire RG40 1AB, England	T: +45 48465000
	www.dansac.com

Global corporate headquarters
Hollister Incorporated
2000 Hollister Drive
Libertyville, Illinois 60048
847-680-1000
www.Hollister.com

1.4. Emergency telephone number

Emergency number	: +45 48465000
------------------	----------------

Country/Area	Organisation/Company	Address	Emergency number	Comment
United Kingdom	NHS 111/NHS 24/NHS Direct		111 0845 4647	or call a doctor

SECTION 2: Hazards identification

This product is regulated as a medical device in European Economic Area (EEA) and therefore, is exempt for the requirement to provide a United Kingdom CLP/REACH compliant SDS as it is medical device used in direct physical contact with the human body per Medical Device Regulation (MDR) (2017/745). The information contained within this SDS is provided for the benefit of non-clinical personnel as a guide to handling the product in a non-medical setting. In other regions, it may be regulated as a medical device, a cosmetic or not regulated.

Dansac EasiSpray Adhesive Remover

Safety Data Sheet

2.1. Classification of the substance or mixture

Classification according to GB CLP (SI 2019:720 as amended)

Aerosol, Category 1	H222;H229
Hazardous to the aquatic environment – Acute Hazard, Category 1	H400
Hazardous to the aquatic environment – Chronic Hazard, Category 1	H410
Full text of H- and EUH-statements: see section 16	

Adverse physicochemical, human health and environmental effects

Extremely flammable aerosol. Pressurised container: May burst if heated. Very toxic to aquatic life with long lasting effects.

2.2. Label elements

The product is assessed and supplied with a safety data sheet in accordance with European Regulation (EC) no 2015/830. Labelling of the product is prepared in accordance with Medical Device Regulation (MDR) (2017/745) on medical devices and local legislation.

Labelling according to GB CLP (SI 2019:720 as amended)

Hazard pictograms (GB CLP)



GHS02

GHS09

Signal word (GB CLP)

: Danger

Hazard statements (GB CLP)

: H222 - Extremely flammable aerosol.

H229 - Pressurised container: May burst if heated.

H410 - Very toxic to aquatic life with long lasting effects.

Precautionary statements (GB CLP)

: CLP Label elements are not applicable for medical devices used in direct physical contact with the human body. The product is to be labelled according to the requirements of the medical devices regulations.

2.3. Other hazards

This product does not contain substances at $\geq 0.1\%$ that meet the PBT criteria of UK REACH regulation, annex XIII

This product does not contain substances at $\geq 0.1\%$ that meet the vPvB criteria of UK REACH regulation, annex XIII

Component	
Substance(s) not meeting the PBT criteria of UK REACH regulation, in accordance with Annex XIII	Hexamethyldisiloxane (107-46-0)
Substance(s) not meeting the vPvB criteria of UK REACH regulation, in accordance with Annex XIII	Hexamethyldisiloxane (107-46-0)

The substance is not included in the list established in accordance with Article 59(1) of UK REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in GB BPR and GB PPP

SECTION 3: Composition/information on ingredients

3.1. Substances

Name	Product identifier	%	Classification according to GB CLP (SI 2019:720 as amended)
Hexamethyldisiloxane	CAS-No.: 107-46-0 EC-No.: 203-492-7	100	Aerosol 1, H222;H229 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of H- and EUH-statements: see section 16

3.2. Mixtures

Not applicable

Dansac EasiSpray Adhesive Remover

Safety Data Sheet

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation	: If experiencing respiratory symptoms: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Not expected to present a significant hazard under anticipated conditions of normal use. If skin irritation or rash occurs: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash skin with plenty of water. Wash skin with plenty of water.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/effects after inhalation	: Overexposure to vapours may result in cough.
Symptoms/effects after eye contact	: May cause slight temporary irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Sand. Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media	: Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard	: Extremely flammable aerosol. On combustion, forms: carbon oxides (CO and CO2).
Explosion hazard	: Pressurised container: May burst if heated.
Hazardous decomposition products in case of fire	: Toxic fumes may be released.

5.3. Advice for firefighters

Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protective equipment for firefighters	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures	: Ventilate spillage area. No open flames, no sparks, and no smoking.
----------------------	---

6.1.2. For emergency responders

Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Ventilate spillage area. No open flames, no sparks, and no smoking.

6.2. Environmental precautions

Avoid release to the environment. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment	: Collect spillage.
-----------------	---------------------

Dansac EasiSpray Adhesive Remover

Safety Data Sheet

Methods for cleaning up	: Ventilate area. Take precautionary measures against static discharge. Wipe up remaining liquid with absorbent material (for example cloth). Mechanically recover the product.
Other information	: Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For disposal of residues refer to section 13 : "Disposal considerations". For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed	: Container remains hazardous when empty. Continue to observe all precautions.
Precautions for safe handling	: Ensure good ventilation of the work station. Wear personal protective equipment. Provide good ventilation in process area to prevent formation of vapour. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use.
Hygiene measures	: Do not smoke while handling product. Use good personal hygiene practices. Wash hands/face thoroughly after handling. Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	: Do not overheat the product. Keep out of direct sunlight. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store in a well-ventilated place. Keep cool.
Incompatible materials	: Oxidizing materials. Reducing agents.

7.3. Specific end use(s)

For further information see section 1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

No additional information available

8.1.2. Recommended monitoring procedures

Monitoring methods

Monitoring methods	No additional information available.
--------------------	--------------------------------------

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Good standard of general ventilation.

8.2.2. Personal protection equipment

Personal protective equipment:

Not required for normal conditions of use. Normal use of this product shall imply use in accordance with the instructions on the packaging.

Dansac EasiSpray Adhesive Remover

Safety Data Sheet

8.2.2.1. Eye and face protection

Eye protection:

If there is a risk of eye contact: Use eye protection according to ISO 16321-1.

8.2.2.2. Skin protection

Skin and body protection:

Long sleeved protective clothing

Hand protection:

Wear suitable gloves tested to ISO 374-1

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment (EN 136/140/145)

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment. Notify authorities if liquid enters sewers or public waters.

Other information:

Do not smoke while handling product.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Aerosol.
Colour	: Colourless.
Molecular mass	: 162.37 g/mol
Odour	: characteristic.
Odour threshold	: Not available
pH	: Not available
Melting point	: -59 °C
Freezing point	: Not available
Boiling point	: 101 °C
Flash point	: -8 °C
Explosive limits	: 0.5 – 21.8 vol %
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Vapour pressure	: 20 hPa (at 20 °C)
Vapour pressure at 50°C	: 175 hPa
Relative vapour density at 20°C	: Not available
Relative density	: Not available
Density	: 0.76 g/cm³
Solubility	: Insoluble.
Partition coefficient n-octanol/water (Log Pow)	: > 4
Partition coefficient n-octanol/water (Log Kow)	: Not available
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
Viscosity, kinematic	: 0.658 mm²/s
Viscosity, dynamic	: 0.5 mPa·s (25 °C)
Explosive properties	: Pressurised container: May burst if heated.

9.2. Other information

VOC content	: 100 %
Particle characteristics	: Not applicable

Dansac EasiSpray Adhesive Remover

Safety Data Sheet

SECTION 10: Stability and reactivity

10.1. Reactivity

Extremely flammable aerosol. Pressurised container: May burst if heated.

10.2. Chemical stability

Stable in use and storage conditions as recommended in item 7.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use. Pressurised container: May burst if heated.

10.4. Conditions to avoid

Avoid static electricity discharges. Keep out of direct sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

Oxidizing materials. Reducing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation)	: Not classified (Based on available data, the classification criteria are not met)

Hexamethyldisiloxane (107-46-0)

LD50 oral rat	> 12.16 g/kg (Source: ECHA)
LD50 oral	12160 mg/kg
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)
LD50 dermal rabbit	> 2000 mg/kg Source: IUCLID
LD50 dermal	12160 mg/kg
LC50 Inhalation - Rat [ppm]	15956 ppm/4h
LC50 Inhalation - Rat (Vapours)	106 mg/l/4h

Skin corrosion/irritation	: Not classified (Based on available data, the classification criteria are not met)
Serious eye damage/irritation	: Not classified (Based on available data, the classification criteria are not met)
Respiratory or skin sensitisation	: Not classified (Based on available data, the classification criteria are not met)
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met)
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)

Hexamethyldisiloxane (107-46-0)

NOAEL (oral, rat, 28 days)	160 mg/kg bw/day
NOAEL (dermal, rat/rabbit, 28 days)	1000 mg/kg bw/day
NOAEL (oral, rat, 90 days)	160 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents)

Dansac EasiSpray Adhesive Remover

Safety Data Sheet

Hexamethyldisiloxane (107-46-0)

NOAEL (dermal, rat/rabbit, 90 days)	≥ 1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study)
-------------------------------------	---

Aspiration hazard : Not classified (Based on available data, the classification criteria are not met)

Hexamethyldisiloxane (107-46-0)

Vaporizer	Aerosol
Viscosity, kinematic	0.654 mm ² /s

Other information

Endocrine disrupting properties

No additional information available

Other information

Other information : Likely routes of exposure: inhalation, skin and eye, No Cytotoxic by Direct Contact Method

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: Very toxic to aquatic life with long lasting effects.
Hazardous to the aquatic environment, short-term (acute)	: Very toxic to aquatic life.
Hazardous to the aquatic environment, long-term (chronic)	: Very toxic to aquatic life with long lasting effects.

Hexamethyldisiloxane (107-46-0)

LC50 - Fish [1]	3.02 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through] Source: IUCLID)
EC50 - Crustacea [1]	> 0.93 mg/l Test organisms (species): Daphnia magna
EC50 - Crustacea [2]	0.2 mg/l Test organisms (species): Daphnia magna
EC50 96h - Algae [1]	0.291 mg/l Source: ECOSAR
NOEC chronic crustacea	0.08 mg/l

12.2. Persistence and degradability

Hexamethyldisiloxane (107-46-0)

Persistence and degradability	Not rapidly degradable
-------------------------------	------------------------

12.3. Bioaccumulative potential

Hexamethyldisiloxane (107-46-0)

BCF - Fish [1]	1290 – 2410
Partition coefficient n-octanol/water (Log Pow)	5.06 (at 20 °C)

12.4. Mobility in soil

Hexamethyldisiloxane (107-46-0)

Organic Carbon Normalized Adsorption Coefficient (Log Koc)	4.34
--	------

Dansac EasiSpray Adhesive Remover

Safety Data Sheet

12.5. Results of PBT and vPvB assessment

Component	
Hexamethyldisiloxane (107-46-0)	<p>This product does not contain substances at ≥0.1% that meet the PBT criteria of UK REACH regulation, annex XIII</p> <p>This product does not contain substances at ≥0.1% that meet the vPvB criteria of UK REACH regulation, annex XIII</p>

12.6. Other adverse effects

Hexamethyldisiloxane (107-46-0)	
Other information	Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations : Dispose of in accordance with relevant local regulations.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
UN 1950	UN 1950	UN 1950	UN 1950	UN 1950
14.2. UN proper shipping name				
AEROSOLS	AEROSOLS	Aerosols, flammable	AEROSOLS	AEROSOLS
14.3. Transport hazard class(es)				
2.1	2.1	2.1	2.1	2.1
				
				
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards				
Dangerous for the environment: True	Dangerous for the environment: True Marine pollutant: Yes	Dangerous for the environment: True	Dangerous for the environment: True	Dangerous for the environment: True
Consult the associated transport regulations for available and applicable exceptions or exemptions.				

14.6. Special precautions for user

Overland transport

Classification code (ADR) : 5F
Special provisions (ADR) : 190, 327, 344, 625
Limited quantities (ADR) : 1I
Excepted quantities (ADR) : E0
Packing instructions (ADR) : P207

Dansac EasiSpray Adhesive Remover

Safety Data Sheet

Special packing provisions (ADR)	:	PP87, RR6, L2
Mixed packing provisions (ADR)	:	MP9
Transport category (ADR)	:	2
Special provisions for carriage - Packages (ADR)	:	V14
Special provisions for carriage - Loading, unloading and handling (ADR)	:	CV9, CV12
Special provisions for carriage - Operation (ADR)	:	S2
Tunnel restriction code (ADR)	:	D

Transport by sea

Special provisions (IMDG)	:	63, 190, 277, 327, 344, 381, 959
Packing instructions (IMDG)	:	P207, LP200
Special packing provisions (IMDG)	:	PP87, L2
EmS-No. (Fire)	:	F-D
EmS-No. (Spillage)	:	S-U
Stowage category (IMDG)	:	None
Stowage and handling (IMDG)	:	SW1, SW22
Segregation (IMDG)	:	SG69

Air transport

PCA Excepted quantities (IATA)	:	E0
PCA Limited quantities (IATA)	:	Y203
PCA limited quantity max net quantity (IATA)	:	30kgG
PCA packing instructions (IATA)	:	203
PCA max net quantity (IATA)	:	75kg
CAO packing instructions (IATA)	:	203
CAO max net quantity (IATA)	:	150kg
Special provisions (IATA)	:	A145, A167, A802
ERG code (IATA)	:	10L

Inland waterway transport

Classification code (ADN)	:	5F
Special provisions (ADN)	:	190, 327, 344, 625
Limited quantities (ADN)	:	1 L
Excepted quantities (ADN)	:	E0
Equipment required (ADN)	:	PP, EX, A
Ventilation (ADN)	:	VE01, VE04
Number of blue cones/lights (ADN)	:	1

Rail transport

Classification code (RID)	:	5F
Special provisions (RID)	:	190, 327, 344, 625
Limited quantities (RID)	:	1L
Excepted quantities (RID)	:	E0
Packing instructions (RID)	:	P207, LP200
Special packing provisions (RID)	:	PP87, RR6, L2
Mixed packing provisions (RID)	:	MP9
Transport category (RID)	:	2
Special provisions for carriage – Packages (RID)	:	W14
Special provisions for carriage - Loading, unloading and handling (RID)	:	CW9, CW12
Colis express (express parcels) (RID)	:	CE2
Hazard identification number (RID)	:	23

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

Dansac EasiSpray Adhesive Remover

Safety Data Sheet

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. National regulations

UK REACH Annex XVII (Restriction List)

This substance is not listed on UK REACH Annex XVII (Restriction List)

UK REACH Annex XIV (Authorisation List)

This substance is not listed on UK REACH Annex XIV (Authorisation List)

UK REACH Candidate List (SVHC)

This substance is not listed on the UK REACH Candidate List (SVHC)

GB PIC regulation (Prior Informed Consent)

This substance is not listed on the GB PIC List

POP Regulation (Persistent Organic Pollutants)

This substance is not listed on the GB POP List

Ozone Regulation (S.I. No. 168 of 2015)

This substance is not listed on the GB Ozone Depletion List

Control of Poisons and Explosives Precursors Act

This substance is not listed as a reportable poison on the Control of Poisons and Explosives Precursors Regulations

This substance is not listed as a regulated poison on the Control of Poisons and Explosives Precursors Regulations

This substance is not listed as a reportable explosive precursor on the Control of Poisons and Explosives Precursors Regulations

This substance is not listed as a regulated poison on the Control of Poisons and Explosives Precursors Regulations

Drug Precursors Regulation (EC 273/2004)

This substance is not listed on the GB Drug Precursors List

15.1.2. Other Information

VOC content : 100 %

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Indication of changes (UK)

Section	Changed item	Comments
1	Identification of the substance/mixture and of the company/undertaking	Modified

Abbreviations and acronyms:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	Overland transport (ADR)
ATE	ATE - acute toxicity estimate
BCF	BCF - bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level

Dansac EasiSpray Adhesive Remover

Safety Data Sheet

Abbreviations and acronyms:	
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Effective concentration for 50 percent of test population (median effective concentration)
EN	European Standard
IARC	IARC (International Agency for Research on Cancer)
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Lethal concentration for 50 percent of test population (median lethal concentration)
LD50	Lethal dose for 50 percent of test population (median lethal dose)
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	PBT - Persistent, Bioaccumulative and Toxic substance
PNEC	Predicted No-Effect Concentration
RID	Regulation concerning the International Carriage of Dangerous Goods by Railways
SDS	SDS - Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	vPvB - Very Persistent and Very Bioaccumulative
ED	Endocrine disruptor

Other information

: None.

Full text of H- and EUH-statements:	
Aerosol 1	Aerosol, Category 1
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
H222	Extremely flammable aerosol.
H229	Pressurised container: May burst if heated.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

